


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20040243260").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:25
S2	927	(session adj descript\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:26
S3	131	(session adj descript\$5) with multimedia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:26
S4	728	session adj descript\$5 adj protocol\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:27
S5	124	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:27
S6	25138	(qos (quality adj service\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:27
S7	62	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:27
S8	46	S7 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:31

S9	46	S7 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:44
S10	29	(media multimedia) adj session\$3 adj descript\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:43
S11	2	(media multimedia) adj session\$3 adj descriptor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:43
S12	61	(media multimedia) adj2 (link\$3 line\$3 path\$5 channel\$3 session\$3) adj2 descript\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:43
S13	45	S12 and (S2 sdp) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:54
S14	7	(session adj descript\$5) with (((quality adj2 service\$5) qos capabil\$9 (type\$3 level\$3)) adj3 service\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:36
S15	61	(dsp (session adj descript\$5)) with (((quality adj2 service\$5) qos capabil\$9 (type\$3 level\$3)) adj3 service\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:37
S16	53	S15 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:37

S17	34	(sdp (session adj descript\$5)) with (((quality adj2 service\$5) qos capabil\$9 (type\$3 level\$3)) adj3 service\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:22
S18	24	S17 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S19	7	((("6452915") or ("6546425") or ("6910074")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:45
S20	0	("6and(sdpsid)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:45
S21	1	S19 and ( sdp sid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:45
S22	1	S19 and ((session adj descript\$5) sdp sid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:46
S23	1	"6714987".pn. and ((session adj descript\$5) qos sdp sid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:17
S24	2	("20030005038").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:17

S25	18	((session adj descript\$5)) same (((quality adj2 service\$5) qos capabil\$9 (type\$3 level\$3)) adj3 service\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:22
S26	13	S25 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:36
S27	118	(session adj descript\$5) with ((session\$3 adj parameter\$5) requir\$5 capabilit\$5 available\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S28	87	S27 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S29	14	(chang\$5 modify\$5 modificat\$5) adj4 (session adj descript\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:36
S30	10	S29 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 15:37
S31	4	((("5963450") or ("5914876"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 18:08



Web Images Groups News Froogle Local **more »**

"session descriptor" "multimedia session" "qua

Search

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about 44 for "**session descriptor**" "**multimedia session**" "**quality of service**". (0.49 seconds)

[PDF] [ENGINEERING COMMITTEE Data Standard Subcommittee AMERICAN NATIONAL ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Session descriptor** protocol (SDP) messages are used to describe multimedia ...  
session invitation, and other forms of **multimedia session** initiation. ...

[www.scte.org/documents/pdf/ANSISCTE2422001DSS0001.pdf](http://www.scte.org/documents/pdf/ANSISCTE2422001DSS0001.pdf) - [Similar pages](#)

[PDF] [PacketCable Dynamic Quality-of-Service Specification \(PKT-SP ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Session descriptor** protocol messages are used to describe multimedia sessions  
... announcement, session invitation, and other forms of **multimedia session** ...

[www.packetcable.com/downloads/specs/PKT-SP-DQOS-I12-I05-050812.pdf](http://www.packetcable.com/downloads/specs/PKT-SP-DQOS-I12-I05-050812.pdf) - [Similar pages](#)

[PDF] [PacketCable Audio/Video Codecs Specification \(PKT-SP-CODEC-I04 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... mandates to deliver the **quality-of-service** necessary for ... **Session descriptor** protocol  
(SDP) messages are used to ... and other forms of **multimedia session** initiation ...

[www.packetcable.com/downloads/specs/PKT-SP-CODEC-I04-021018.pdf](http://www.packetcable.com/downloads/specs/PKT-SP-CODEC-I04-021018.pdf) - Supplemental Result -  
[Similar pages](#)

[ [More results from www.packetcable.com](#) ]

[PDF] [3. Switching technology](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Internet, is even now facing a problem called **quality of service** (QoS) ...  
**multimedia session** establishment and termination and does not target any more ...

[www.hte.hu/ob/eng/3.pdf](http://www.hte.hu/ob/eng/3.pdf) - [Similar pages](#)

[United States Patent Application: 0050096016](#)

such a **multimedia session** May be implemented using a variety of formats, ...  
(bearer characteristics such as latency, **quality of service**, reliability, etc. ...

[appft1.uspto.gov/.../20050096016&RS=DN/20050096016](http://appft1.uspto.gov/.../20050096016&RS=DN/20050096016) - Supplemental Result - [Similar pages](#)

[PDF] [HTTP/1.1 200 OK Date: Tue, 09 Apr 2002 05:11:59 GMT Server: Apache ...](#)

File Format: PDF/Adobe Acrobat

a multiparty, **multimedia Session**, where "multi" implies greater than, or equal  
to one. Client: ... resources and **Session descriptor**. 9.8 GET\_PARAMETER ...

[ietfreport.isoc.org/cgi-bin/id2pdf?f1=draft-ietf-mmusic-rtsp-01.txt](http://ietfreport.isoc.org/cgi-bin/id2pdf?f1=draft-ietf-mmusic-rtsp-01.txt) - Supplemental Result - [Similar pages](#)

[HTTP/1.1 200 OK Date: Tue, 09 Apr 2002 05:11:59 GMT Server: Apache ...](#)

Conference: a multiparty, **multimedia Session**, where "multi" implies greater  
... be unnecessary Since CLOSE already Frees resources and **Session descriptor**. ...

[cldr-report.org/ietf/all-ids/draft-ietf-mmusic-rtsp-01.txt](http://cldr-report.org/ietf/all-ids/draft-ietf-mmusic-rtsp-01.txt) - Supplemental Result - [Similar pages](#)

[PDF] [Mobile Wireless Internet Forum Meeting \(MWIF\), 1/8/01](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. TELCORDIA TECHNOLOGIES, INC. CONFIDENTIAL - RESTRICTED ACCESS This  
document and the confidential information it contains ...

[tsk.telcordia.com/tskdocs/2001/20010006.pdf](http://tsk.telcordia.com/tskdocs/2001/20010006.pdf) - Supplemental Result - [Similar pages](#)

[System, apparatus, and method for establishing circuit-switched ...](#)

... as well as appropriate **quality of service** support to guarantee sufficient ...

[0050] as is known in the art, other **Session descriptor** items are included ...

[www.freshpatents.com/System-apparatus-and-method-for-establishing-circuit-switched-communications-via-pac...](http://www.freshpatents.com/System-apparatus-and-method-for-establishing-circuit-switched-communications-via-pac...) -

Supplemental Result - [Similar pages](#)

[PDF] ITU-T Rec. J.161 (03/2001) Audio codec requirements for the ...

File Format: PDF/Adobe Acrobat


Measurement of the **quality of service**. J.140æJ.149 ... **Session descriptor**

Protocol (SDP) messages are used to describe multimedia sessions for the ...

dbr.library.ncnu.edu.tw/itu-t/ ORIGINAL/J/T-REC-J.161-200103-I!PDF-E.pdf - Supplemental Result - [Similar pages](#)

Google

Result Page: 1 2 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"session descriptor" "multimedia ses" [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google